

GOVERNMENT OF TELANGANA

ABSTRACT

Public Services - Municipal Administration & Urban Development Department - Engineer-in-Chief, Public Health - Irregularities in execution of Storm Water Drains in Violation of Master Plan taken up by the Mangalagiri Municipality and VGTM Urban Development Authority - Departmental Proceedings instituted against Sri Ch. Venkateshwarlu, the then Executive Engineer (PH), Guntur (presently Executive Engineer in Nizamabad Municipal Corporation) under Rule 20 of the Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991 - Articles of Charges - Issued.

MUNICIPAL ADMINISTRATION AND URBAN DEVELOPMENT (Vig-II) DEPARTMENT

G.O.RT.No. 86

Dated: 19/02/2016

ORDER:

It is proposed to hold an enquiry against Ch. Venkateshwarlu, the then Executive Engineer (PH), Guntur, presently working as Executive Engineer in Nizamabad Municipal Corporation, in accordance with the procedure laid down in Rule 20 of the Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991.

2. The statement of articles of charges and statement of imputations of misconduct of misbehaviour in respect of which the inquiry is proposed to be held is set out in the enclosed (Annexure-I&II). A list of documents by which and a list of witnesses by whom, the articles of charges proposed to be sustained are also enclosed (Annexure III & IV).

3. The above said Sri Ch. Venkateshwarlu, Executive Engineer, Nizamabad Municipal Corporation, is directed to submit his written statement of his defence within 10 days from the date of receipt of this order.

4. The above said Sri Ch. Venkateshwarlu, Executive Engineer, Nizamabad Municipal Corporation, is informed that an inquiry will be held only in respect of those articles of charges as are not admitted. He should, therefore, specifically admit or deny each article of charge.

5. The above said Sri Ch. Venkateshwarlu, Executive Engineer, Nizamabad Municipal Corporation, is further informed that if he does not submit his written statement of defence on or before the date specified in para-3 above further action will be processed based on the material available.

6. Attention of Sri Ch. Venkateshwarlu, Executive Engineer, Nizamabad Municipal Corporation, is invited to Rule 24 of the Andhra Pradesh Civil Services (conduct) Rules, 1964, under which no Government Servant shall bring or attempt to bring any political or outside influence to bear upon any superior authority to further his interest in respect of matters pertaining to his service under the Government. If any representation is received on his behalf from another person in respect of any matter dealt within these proceedings it will be presumed that above said Sri Ch. Venkateshwarlu, Executive Engineer, Nizamabad Municipal Corporation, is aware of such a representation and that it has been made at his instance and action will be taken against him for violation of Rule-24 of the Andhra Pradesh Civil Services(Conduct) Rules,1964.

7. The Engineer-in-Chief, Public Health, Telangana, Hyderabad is directed to make available documents related to the case, for perusal to the above said Sri Ch. Venkateshwarlu, Executive Engineer, Nizamabad Municipal Corporation, if he chooses so, on his written representation, within the stipulated time.

P.T.O

8. The receipt of the G.O. may be acknowledged.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF TELANGANA)

M.G.GOPAL
SPECIAL CHIEF SECRETARY TO GOVERNMENT

To
Sri Ch. Venkateshwarlu, Executive Engineer,
Nizamabad Municipal Corporation, (w.e.) - **through** the Engineer-in-Chief,
Public Health, Telangana, Hyderabad.

Copy to:

The Engineer-in-Chief, Public Health, Telangana, Hyderabad.
The General Administration (V&E) Department, Telangana,
Hyderabad - W.r.t. V.R. No. 55 (993/V&E/E/2015), dt.4.7.2015)
The Secretary to Vigilance Commissioner,
Telangana Vigilance Commission, Hyderabad.
SC/SF.

//FORWARDED::BY::ORDER//

SECTION OFFICER